



# ALUMINUM GARDEN CART

7.5 CUBIC FEET | 330 LBS MAX LOAD CAPACITY

## OPERATOR'S MANUAL

A Division of Snow Joe®, LLC

Model SJ-ALGC

Form No.SJ-ALGC-880E-M

## IMPORTANT! Safety Instructions

### All Operators Must Read These Instructions Before Use

Always follow these safety guidelines. Failure to follow the safety rules and other basic safety precautions may result in serious personal injury.

### Intended Use

This garden cart is designed to haul light yard and garden materials and equipment. It is ideal for clippings, potting soil, fertilizer, and garden tools. Made from durable, corrosion-resistant aluminum, the cart features a balanced design and oversized bicycle tires for added stability and maximum maneuverability, and removable front and back panels for easy loading, unloading or dumping.

**⚠️ WARNING!** Never exceed the rated load capacity of 330 lbs (150 kg) when operating the cart.

### General Safety Rules

**⚠️ WARNING!** Read and understand all instructions. Failure to follow all instructions listed below may result in serious injury.

**⚠️ WARNING!** The warnings, cautions, and instructions outlined in this manual cannot cover all possible conditions or situations that may occur. It must be understood by the operator that common sense and caution are factors which cannot be built into this product and must be supplied by the operator.

**⚠️ CAUTION!** Do not allow persons to operate or assemble this garden cart until they have read this manual and have developed a thorough understanding of how the garden cart works.


1. Do not at any time carry passengers (sitting or standing) in the cart.
2. Do not allow children to play on, stand upon, or climb in the cart.
3. Always inspect the cart before using to assure the cart is in good working condition.

4. Replace or repair damaged or worn parts immediately.
5. Always check and tighten hardware and assembled parts before operation.
6. Avoid large holes and ditches when transporting loads.
7. Be careful when operating on steep grades (i.e. hills); the cart could tip over.
8. Always use caution when loading and unloading the cart to avoid tipping.
9. Never tow the cart with a motorized vehicle.
10. Always keep hands and feet clear from moving parts while operating the equipment.
11. Always keep the work area clean and clear.
12. Always wear safety gear (e.g. eye protection, gloves, works boots) when loading and unloading the cart.
13. Take care when loading and unloading. Do not allow load to fall out of cart. Always be aware of your foot placement during loading to avoid crush hazards.
14. Do not modify the garden cart in any way. Unauthorized modification may impair the function and/or safety and could affect the life of the equipment. There are specific applications for which the garden cart was designed.
15. Store idle garden cart. When garden cart is not in use, store it in a secure place out of the reach of children. Inspect it for good working condition prior to storage and before re-use.

# Know Your Aluminum Garden Cart

Read the owner's manual and safety instructions carefully before using the garden cart. Compare the illustration below to the garden cart in order to familiarize yourself with the various parts and components. Save this manual for future reference and reread it at the start of the season to familiarize yourself with the use, handling and features.

1. Handle
2. Handle bar knob
3. Back panel
4. Handle locking knob (4)
5. Supporting tube
6. Axle
7. Wheel (2)
8. Side panel (2)
9. Front panel



## Technical Data

Loading Capacity Max	330 lbs (150 kg)	Assembled Dimensions	52.3 in. x 36.6 in. x 25.6 in. (133 cm x 93 cm x 65 cm)
Volume Max	7.5 cubic feet	Collapsed Dimensions	37.8 in. x 14.6 in. x 24.8 in. (96 cm x 37 cm x 63 cm)
Cart Material	Aluminum	Bed Interior Dimensions	35.4 in. x 23.6 in. x 11.6 in. (90 cm x 60 cm x 29.5 cm)
Tires Size	20 in. (50.8 cm)	Weight	36.8 lbs (16.7 kg)
Tire Pressure	40 PSI		
Removable Front + Back Panel	Yes		
Collapsible	Yes		

# Unpacking

## Carton Contents

- Garden cart
- Front panel
- Back panel
- Manual and registration card

1. Carefully remove the garden cart and check to see that all of the above items are supplied.
2. Inspect the product carefully to make sure no breakage or damage occurred during shipping. If you find damaged or missing parts, DO NOT return the unit to the store. Please call the Snow Joe® + Sun Joe® customer service center at 1-866-SNOWJOE (1-866-766-9563).


**NOTE:** Do not discard the shipping carton and packaging material until you are ready to use the garden cart. The packaging is made of recyclable materials. Properly dispose of these materials in accordance with local regulations or save the packaging for long-term product storage.

**IMPORTANT!** The equipment and packaging material are not toys. Do not let children play with plastic bags, foils, or small parts. These items can be swallowed and pose a suffocation risk!


## Assembly

### Unfold for Using

1. Remove garden cart from shipping carton (Fig. 1).




2. Grasp the two side panels and spread apart to unfold the cart (Fig. 2).




**CAUTION!** Pinch Hazard. Be careful when opening or closing the cart. Keep hands away from pinch/pivot points.


3. Check to make sure left and right side are fully extended apart. Confirm bottom panel is flattened fully and support bar is locked securely in place (Fig. 3).




4. Insert the front panel and back panel (Fig. 4).



5. Pull out the handle bars on each side, then connect them with the handle knob and bolt (Fig. 5).



6. Tighten the handle bar knob and handle locking knobs on both sides (Fig. 6).



**⚠ CAUTION!** Crush Hazard. It is possible for a load to shift and fall out of the garden cart when removing the panels. Always be aware of your foot placement during use.

## Check Tire Pressure

**⚠ WARNING!** Under any circumstance do not exceed manufacturer's recommended PSI. Equal tire pressure should be maintained at all times for performance purposes. Excessive pressure may cause tire assembly to burst with force sufficient to cause serious injury. Refer to sidewall of tire for recommended pressure.



The tires are over-inflated for shipping purposes. Check the tire pressure before using the garden cart. Refer to the tire sidewall for tire's manufacturer's recommended psi and deflate (or inflate) the tires as necessary.

**Manufacturer's  
Recommended  
Tire Pressure**


**40 PSI**

## To Fold Cart


1. Loosen the handle bar knob and handle locking knobs on both sides (Figs. 7 & 8).




2. Push in the handle bars on each side (Fig. 9).





3. Remove the front panel and back panel (Fig. 10).



4. Push and unlock the support bar (Fig. 11).



5. Push sides of cart in toward the middle, pulling up on the bottom of the bed if needed (Figs. 12 & 13).



**CAUTION!** Pinch Hazard. Be careful when closing the cart. Keep hands away from pinch/pivot points.

**WARNING!** When stored in folded position, be sure to lean the cart against a wall or similar sturdy support.

**CAUTION!** Avoid injury. Explosive separation of tire and rim parts is possible when they are serviced incorrectly:

- Do not attempt to mount a tire without proper equipment and experience to perform the job.
- Do not inflate the tires above the recommended pressure.
- Do not weld or heat a tire assembly. Heat can cause an increase in air pressure resulting in an explosion. Welding can structurally weaken or deform the wheel.
- Do not stand in front or over the tire assembly when inflating. Use a clip-on chuck and extension hose long enough to allow you to stand to one side.

## Maintenance

It is recommended that the general condition of any garden cart be examined before it is used. Keep your garden cart in good repair by adopting a program of conscientious repair and maintenance. Have necessary repairs made by qualified service personnel. For replacement parts and technical questions, please call the Snow Joe® + Sun Joe® customer service center at 1-866-SNOWJOE (1-866-766-9563).

## Service and Support

If your Sun Joe® SJ-ALGC aluminum garden cart requires service or maintenance, please call 1-866-SNOWJOE (1-866-766-9563) for assistance.

## Model and Serial Numbers

When contacting the company, reordering parts or arranging service from an authorized dealer, you will need to provide the model and serial numbers, which can be found on the decal located on the housing of the unit. Copy these numbers into the space provided below.

Record the following numbers from the housing or handle of your new product:

Model #: \_\_\_\_\_

S | J | - | A | L | G | C | \_\_\_\_\_

Serial #: \_\_\_\_\_





## SNOW JOE® + SUN JOE® CUSTOMER PROMISE

**ABOVE ALL ELSE**, Snow Joe® + Sun Joe® are dedicated to you, our customer. We strive to make your experience as pleasant as possible. Unfortunately, there are times when a product does not work or breaks under normal operating conditions. We think it's important that you know what you can expect from us. That's why we created the Snow Joe® + Sun Joe® promise.

**OUR PROMISE:** Snow Joe® + Sun Joe® warrant new products for two years from the date of purchase. If your product does not work, or there's an issue with a specific part, we will fix this by either sending you a free replacement part or by sending you a new or comparable product at no charge. How cool is that! Before you know it, you'll be back in action cutting, sawing, mowing, washing and...?

---

### PRODUCT REGISTRATION:

Snow Joe®, LLC ("Snow Joe® + Sun Joe®") strongly encourages you to register your purchase. You can register online at [snowjoe.com/ProductRegistration](http://snowjoe.com/ProductRegistration), or by printing and mailing in a registration card available online from our website, or calling our Customer Service Department at **1-866-SNOWJOE (1-866-766-9563)**, or by e-mailing us at [help@snowjoe.com](mailto:help@snowjoe.com). Failure to register your product purchase will not diminish your warranty rights. However, registering your purchase will allow Snow Joe® + Sun Joe® to better serve you with any of your customer service needs.

### WHO CAN SEEK WARRANTY COVERAGE?

This Warranty is extended by Snow Joe® + Sun Joe® to the owner of this new product for residential and personal household use only. This Warranty does not apply to products used for commercial, rental or re-sale purposes. Should ownership of this product change during the 2-year period, please update the product's owner information at [snowjoe.com/ProductRegistration](http://snowjoe.com/ProductRegistration).

### WHAT IS COVERED?

Snow Joe® + Sun Joe® warrants to the owner that if this product fails within 2 years from the date of purchase due to a defect in material or workmanship or as a result of normal wear and tear from ordinary household use, Snow Joe® + Sun Joe® will send a replacement part or product, as needed, free of charge and with free shipping to the original purchaser.

If, in Snow Joe® + Sun Joe®'s sole discretion, the failed product cannot be repaired with a part, Snow Joe® + Sun Joe® will elect to either (A) send a new product at no charge and with free shipping or (B) refund the full purchase price to the owner.

### WHAT IS NOT COVERED?

This Warranty does not apply to products that have been used commercially or in non-household applications. This Warranty does not cover cosmetic changes that do not affect performance.

This Warranty is only valid if the product is used and maintained in accordance with the instructions, warnings and safeguards contained in the owner's manual. Snow Joe® + Sun Joe® will not be responsible for the cost of any unauthorized warranty repairs. This warranty does not cover any cost or expense incurred by the purchaser in providing substitute equipment or service during reasonable periods of malfunction or non-use of this product while waiting for a replacement part or unit under this warranty. Wearing parts like belts, augers, chains and tines are not covered under this warranty, and can be purchased at [snowjoe.com](http://snowjoe.com) or by calling **1-866-SNOWJOE (1-866-766-9563)**. Batteries are covered in full for 90-days from the date of purchase.

Repair, replacement or refund of the purchase price are the exclusive remedies of purchaser and the sole liability of Snow Joe® + Sun Joe® under this warranty. No employee or representative of Snow Joe® + Sun Joe® is authorized to make any additional warranty or any modification to this warranty which may be binding upon Snow Joe® + Sun Joe®. Accordingly, purchaser should not rely upon any additional statements made by any employee or representative of Snow Joe® + Sun Joe®. In no event, whether based on contract, indemnity, warranty, tort (including negligence), strict liability or otherwise, shall Snow Joe® + Sun Joe® be liable for any special, indirect, incidental, or consequential damages, including, without limitation, loss of profit or revenue.

Some states do not allow limits on warranties. In such states, the above limitations may not apply to you.

Outside the USA, other warranties may apply.



[snowjoe.com](http://snowjoe.com)